

9. REFERENCES

- ACGIH. 2014. 1-Bromopropane. CAS number: 106-94-5. In: Documentation of the threshold limit values and biological exposure indices. Cincinnati, OH: American Conference of Governmental Industrial Hygienists.
- ACGIH. 2016. 1-Bromopropane. In: 2016 TLVs and BEIs based on the documentation of the threshold limit values for chemical substances and physical agents & biological exposure indices. Cincinnati, OH: American Conference of Governmental Industrial Hygienists, 15.
- Adlercreutz H. 1995. Phytoestrogens: Epidemiology and a possible role in cancer protection. *Environ Health Perspect Suppl* 103(7):103-112.
- AIHA. 2014. Current ERPG values (2014). Fairfax, VA: American Industrial Hygiene Association. <https://www.aiha.org/get-involved/AIHAGuidelineFoundation/EmergencyResponsePlanningGuidelines/Documents/2014%20ERPG%20Values.pdf>. September 9, 2014.
- Albemarle Corporation. 1997. A 13-week inhalation toxicity study of a vapor formulation of ALBTA1 in the albino rat. Document available in public docket EPA-HQ-OAR-2002-0064. Washington, DC: U.S. Environmental Protection Agency.
- Alfa Aesar. 2014. MSDS. 1-Bromopropane. A10461. Alfa Aesar, A Johnson Matthey Company. <http://www.alfa.com/en/GP100W.pgm?DSSTK=A10461>. October 15, 2014.
- Altman PL, Dittmer DS. 1974. *Biology data book*. 2nd ed. Bethesda, MD: Federation of American Societies of Experimental Biology.
- Alwis KU, Blount BC, Britt AS, et al. 2012. Simultaneous analysis of 28 urinary VOC metabolites using ultra high performance liquid chromatography coupled with electrospray ionization tandem mass spectrometry (UPLC-ESI/MSMS). *Anal Chim Acta* 750:152-160.
- Andersen ME, Krishnan K. 1994. Relating *in vitro* to *in vivo* exposures with physiologically based tissue dosimetry and tissue response models. In: Salem H, ed. *Animal test alternatives: Refinement, reduction, and replacement*. New York, NY: Marcel Dekker, Inc., 9-25.
- Andersen ME, Clewell HJ, Gargas ML, et al. 1987. Physiologically based pharmacokinetics and the risk assessment process for methylene chloride. *Toxicol Appl Pharmacol* 87(2):185-205.
- Anderson SE, Munson AE, Butterworth LF, et al. 2010. Whole-body inhalation exposure to 1-bromopropane suppresses the IgM response to sheep red blood cells in female B6C3F1 mice and Fisher 344/N rats. *Inhal Toxicol* 22(2):125-132.
- ATSDR. 1989. Decision guide for identifying substance-specific data needs related to toxicological profiles; Notice. Agency for Toxic Substances and Disease Registry. *Fed Regist* 54(174):37618-37634.
- ATSDR. 2015. 1-Bromopropane. Full SPL data. Substance priority list (SPL) resource page. Agency for Toxic Substances and Disease Registry, Centers for Disease Control and Prevention. <http://www.atsdr.cdc.gov/SPL/resources>. November 4, 2016.

9. REFERENCES

- Aylward LL, Kirman CR, Schoeny R, et al. 2013. Evaluation of biomonitoring data from the CDC National Exposure Report in a risk assessment context: Perspectives across chemicals. *Environ Health Perspect* 121(3):287-294.
- Banu S, Ichihara S, Huang F, et al. 2007. Reversibility of the adverse effects of 1-bromopropane exposure in rats. *Toxicol Sci* 100(2):504-512. 10.1093/toxsci/kfm245.
- Barber ED, Donish WH, Mueller KR. 1980. Quantitative measurement of the mutagenicity of volatile liquids in the Ames *Salmonella*/microsome assay. *Environ Mutagen* 2:307.
- Barber ED, Donish WH, Mueller KR. 1981. A procedure for the quantitative measurement of the mutagenicity of volatile liquids in the Ames *Salmonella typhimurium* mammalian/microsome assay. *Mutat Res* 90(1):31-48.
- Barnsley EA, Grenby TH, Young L. 1966. Biochemical studies of toxic agents. The metabolism of 1- and 2-bromopropane in rats. *Biochem J* 100(1):282-288.
- Belkin S. 2002. Biodegradation of haloalkanes. *Biodegradation* 3:299-313.
- Berger GS, ed. 1994. Epidemiology of endometriosis. In: *Endometriosis: Modern surgical management of endometriosis*. New York, NY: Springer-Verlag, 3-7.
- B'Hymer C, Cheever KL. 2004. Development of a gas chromatographic test for the quantification of the biomarker 3-bromopropionic acid in human urine. *J Chromatogr B Analyt Technol Biomed Life Sci* 802(2):361-366.
- B'Hymer C, Cheever KL. 2005. Development of a headspace gas chromatographic test for the quantification of 1- and 2-bromopropane in human urine. *J Chromatogr B Analyt Technol Biomed Life Sci* 814(1):185-189.
- Bidleman TF. 1988. Atmospheric processes. Wet and dry deposition of organic compounds are controlled by their vapor-particle partitioning. *Environ Sci Technol* 22(4):361-367.
- Blando JD, Schill DP, De La Cruz MP, et al. 2010. Preliminary study of propyl bromide exposure among New Jersey dry cleaners as a result of a pending ban on perchloroethylene. *J Air Waste Manag Assoc* 60(9):1049-1056.
- Boyle EB, Viet SM, Wright DJ, et al. 2016. Assessment of exposure to VOCs among pregnant women in the National Children's Study. *Int J Environ Res Public Health* 13(4):376. 10.3390/ijerph13040376.
- Brown RP, Delp MD, Lindstedt SL, et al. 1997. Physiological parameter values for physiologically based pharmacokinetic models. *Toxicol Ind Health* 13(4):407-484.
- BSOC. 2001a. An inhalation two-generation reproductive toxicity study of 1-bromopropane in rats. Brominated Solvents Consortium (BSOC). EPA Office of Air and radiation. Study No. WIL-380001, Docket number: A-2001-07, OAR Box 1876, Document Number 93)11-D-10
- BSOC. 2001b. A developmental toxicity study in rat via whole body inhalation exposure. Brominated Solvents Consortium (BSOC). EPA Office of Air and radiation. Study No. 98-4141, Docket number: A-2001-07, OAR Box 1882.

9. REFERENCES

- Burns TM, Taly A, O'Brien PC, et al. 2002. Clinical versus quantitative vibration assessment: Improving clinical performance. *J Peripher Nerv Syst* 7(2):112-117.
- CDC. 2005. Hematological and iron-related analytes- reference data for persons aged 1 year and over: United States, 1988-94. Vital and health statistics. Series 11, Number 247. Centers for Disease Control and Prevention. U.S. Department of Health and Human Services.
- Chalupka S. 2014. Reducing workplace exposure to 1-bromopropane. *Work Health Saf* 62(3):128.
- Cheever KL, Marlow KL, B'Hymer C, et al. 2009. Development of an HPLC-MS procedure for the quantification of N-acetyl-S-(n-propyl)-l-cysteine, the major urinary metabolite of 1-bromopropane in human urine. *J Chromatogr B Analyt Technol Biomed Life Sci* 877(8-9):827-832.
- Chung MK, Yu WJ, Han SS. 2006. Lack of dominant lethality in mice following 1-bromopropane treatment. *Reprod Toxicol* 22(2):267.
- Clewell HJ, Andersen ME. 1985. Risk assessment extrapolations and physiological modeling. *Toxicol Ind Health* 1(4):111-131.
- Costa LG, Aschner M, Vitalone A, et al. 2004. Developmental neuropathology of environmental agents. *Annu Rev Pharmacol Toxicol* 44:87-110.
- Currance PL, Clements B, Bronstein AC. 2007. Halogenated aliphatic hydrocarbons and related compounds. In: Currance, PL, Clements B, Bronstein AC, eds. *Emergency care for hazardous materials exposure*. 3rd ed. St. Louis, MO: Mosby Inc., 216-223.
- DHHS. 2016. 1-Bromopropane. Household products database. U.S. Department of Health & Human Services, National Library of Medicine. <https://householdproducts.nlm.nih.gov/>. July 20, 2017.
- DOE. 2012. Table 3: Protective action criteria (PAC) Rev 27 based on applicable 60-minute AEGLs, ERPGs, or TEELs. The chemicals are listed by CASRN. February 2012. Oak Ridge, TN: U.S. Department of Energy and Subcommittee on Consequence Assessment and Protective Actions (SCAPA). <http://www.atlintl.com/DOE/teels/teel/Table3.pdf>. September 9, 2014.
- Donaghy T, Shanahan I, Hande M, et al. 1993. Rate constants and atmospheric lifetimes for the reactions of OH radicals and C1 atoms with haloalkanes. *Int J Chem Kinet* 25:273-284.
- ECHA. 2014. Environmental fate and pathways. Biodegradation in water: Screening tests. Exp key biodegradation in water: Screening tests.002. European Chemicals Agency. http://apps.echa.europa.eu/registered/data/dossiers/DISS-98761f97-d1cd-7396-e044-00144f67d031/AGGR-f65e4970-987a-4685-b5d3-574aec41e739_DISS-98761f97-d1cd-7396-e044-00144f67d031.html#AGGR-f65e4970-987a-4685-b5d3-574aec41e739. October 20, 2014.
- Eckert E, Goen T. 2014. Rapid determination of four short-chain alkyl mercapturic acids in human urine by column-switching liquid chromatography-tandem mass spectrometry. *J Chromatogr B Analyt Technol Biomed Life Sci* 965:54-60.
- Ek CJ, Dziegielewska KM, Habgood MD, et al. 2012. Barriers in the developing brain and neurotoxicology. *Neurotoxicology* 33(3):586-604.

9. REFERENCES

- Elf Atochem S.A. 1993. Acute oral toxicity in rats: N-propyl bromide. Documents available in public docket EPA-HQ-OAR-2002-0064. Washington, DC: U.S. Environmental Protection Agency.
- Elf Atochem S.A. 1995. Acute dermal toxicity in rats: N-propyl bromide. Documents available in public docket EPA-HQ-OAR-2002-0064. Washington, DC: U.S. Environmental Protection Agency.
- Elf Atochem S.A. 1997. Study of acute toxicity on n-propyl bromide administered to rats by vapour inhalation. Determination of the 50% lethal concentration. Study No. 95122. Document ID Title OAR-2002-0064: Documents available in public dockets A-2001-07, OAR-2202-0064, and A-91-42. U.S. Environmental Protection Agency. Verneuil-en-Halatte, France: Laboratoire d'Etudes de Toxicologie Experimentale.
- Emoto C, Murase S, Sawada Y, et al. 2003. *In vitro* inhibitory effect of 1-aminobenzotriazole on drug oxidations catalyzed by human cytochrome P450 enzymes: A comparison with SKF-525A and ketoconazole. *Drug Metab Pharmacokinet* 18(5):287-295.
- EPA. 1990. Interim methods for development of inhalation reference concentrations. Washington, DC: U.S. Environmental Protection Agency, Office of Health and Environmental Assessment, Office of Research and Development.
- EPA. 1994. Methods for derivation of inhalation reference concentrations and application of inhalation dosimetry. Research Triangle Park, NC: U.S. Environmental Protection Agency, Office of Health and Environmental Assessment. EPA600890066F.
- EPA. 1997. Special report on environmental endocrine disruption: An effects assessment and analysis. Washington, DC: U.S. Environmental Protection Agency, Office of Pollution Prevention and Toxics.
- EPA. 1998a. Appendix A. Chemical substances subject to proposed or final TSCA rules or orders. Instructions for reporting for the 1998 partial updating of the TSCA chemical inventory data base. Washington, DC: U.S. Environmental Protection Agency, Office of Prevention Pesticides and Toxic Substances, A-1 to A-10. <http://nepis.epa.gov/Exe/ZyPURL.cgi?Dockey=700004YF.txt>. September 24, 2014.
- EPA. 1998b. Notice of availability of draft RCRA waste minimization PBT chemical list. *Fed Regist* 63(216):60332-60343. U.S. Environmental Protection Agency. <http://www.gpo.gov/fdsys/pkg/FR-1998-11-09/pdf/98-29952.pdf>. September 10, 2014.
- EPA. 2005. Toxic chemical release inventory reporting forms and instructions: Revised 2004 version. Section 313 of the Emergency Planning and Community Right-to-Know Act (Title III of the Superfund Amendments and Reauthorization Act of 1986). U.S. Environmental Protection Agency, Office of Environmental Information. EPA260B05001.
- EPA. 2006. List of lists. Consolidated list of chemicals subject to the Emergency Planning and Community Right-to-Know Act (EPCRA) and Section 112(r) of the Clean Air Act. Washington, DC: U.S. Environmental Protection Agency, Office of Solid Waste and Emergency Response. EPA550B01003. http://www.epa.gov/emergencies/docs/chem/title3_Oct_2006.pdf. September 24, 2014.
- EPA. 2007a. Protection of stratospheric ozone: Listing of substitutes for ozone-depleting substances-n-propyl bromide in solvent cleaning. *Fed Regist* 72(103):30142-30167. U.S. Environmental Protection Agency. <http://www.gpo.gov/fdsys/pkg/FR-2007-05-30/pdf/E7-9707.pdf>. October 2, 2014.

9. REFERENCES

- EPA. 2007b. Protection of stratospheric ozone: Listing of substitutes for ozone-depleting substances-n-propyl bromide in adhesives, coatings, and aerosols. Fed Regist 72(103):30168-30207. U.S. Environmental Protection Agency. <http://www.gpo.gov/fdsys/pkg/FR-2007-05-30/pdf/E7-9706.pdf>. October 2, 2014.
- EPA. 2007c. Q and A: 2007 final and proposed regulations for n-propyl bromide (nPB). U.S. Environmental Protection Agency. <http://www.epa.gov/ozone/snap/solvents/2007nPBRegsQA.html>. October 16, 2007.
- EPA. 2009a. Drinking water contaminant candidate list 3-final. Fed Regist 74(194):51850-51862. U.S. Environmental Protection Agency. <http://www.gpo.gov/fdsys/pkg/FR-2009-10-08/pdf/E9-24287.pdf>. September 9, 2014.
- EPA. 2009b. National primary drinking water regulations. Washington, DC: U.S. Environmental Protection Agency, Office of Ground Water and Drinking Water. EPA816F090004. <http://water.epa.gov/drink/contaminants/upload/mcl-2.pdf>. September 10, 2014.
- EPA. 2012a. 2012 Edition of the drinking water standards and health advisories. Washington, DC: U.S. Environmental Protection Agency, Office of Water. EPA822S12001. <http://water.epa.gov/action/advisories/drinking/upload/dwstandards2012.pdf>. September 9, 2014.
- EPA. 2012b. Benchmark Dose Technical Guidance. Risk Assessment Forum. Washington, DC: U.S. Environmental Protection Agency. EPA100R12001, June 2012.
- EPA. 2013a. AEGL chemical data. Final AEGLs (131). Washington, DC: U.S. Environmental Protection Agency, Office of Pollution Prevention and Toxics. http://www.epa.gov/oppt/aegl/pubs/compiled_aegls_update_nov2013.pdf. September 9, 2014.
- EPA. 2013b. List of substances. Table 1 to 68.130-List of regulated toxic substances and threshold quantities for accidental release prevention. Code of Federal Regulations. U.S. Environmental Protection Agency. 40 CFR 68.130, Subpart F. <http://www.gpo.gov/fdsys/pkg/CFR-2013-title40-vol16/pdf/CFR-2013-title40-vol16-sec68-130.pdf>. September 24, 2014.
- EPA. 2013c. Designation of hazardous substances. Code of Federal Regulations. U.S. Environmental Protection Agency. 40 CFR 116.4, Subpart D. <http://www.gpo.gov/fdsys/pkg/CFR-2013-title40-vol23/pdf/CFR-2013-title40-vol23-sec116-4.pdf>. September 9, 2014.
- EPA. 2013d. Determination of reportable quantities. Table 117.3. Reportable quantities of hazardous substances designated pursuant to section 311 of the Clean Water Act. Code of Federal Regulations. U.S. Environmental Protection Agency. 40 CFR 117.3, Subpart A. <http://www.gpo.gov/fdsys/pkg/CFR-2013-title40-vol23/pdf/CFR-2013-title40-vol23-part117-subpartA.pdf>. September 9, 2014.
- EPA. 2013e. Identification and listing of hazardous waste. Appendix VIII to Part 261-Hazardous constituents. Code of Federal Regulations. U.S. Environmental Protection Agency. 40 CFR 261, Appendix VIII to Part 261. <http://www.gpo.gov/fdsys/pkg/CFR-2013-title40-vol27/pdf/CFR-2013-title40-vol27-part261-appVIII.pdf>. September 10, 2014.
- EPA. 2013f. Groundwater monitoring list. Code of Federal Regulations. U.S. Environmental Protection Agency. 40 CFR 264, Appendix IX to Part 264. <http://www.gpo.gov/fdsys/pkg/CFR-2013-title40-vol27/pdf/CFR-2013-title40-vol27-part264-appIX.pdf>. September 10, 2014.

9. REFERENCES

- EPA. 2013g. Designation of hazardous substances. Table 302.4-List of hazardous substances and reportable quantities. Code of Federal Regulations. U.S. Environmental Protection Agency. 40 CFR 302.4. <http://www.gpo.gov/fdsys/pkg/CFR-2013-title40-vol29/pdf/CFR-2013-title40-vol29-sec302-4.pdf>. September 10, 2014.
- EPA. 2013h. Chemicals and chemical categories to which this part applies. Code of Federal Regulations. U.S. Environmental Protection Agency. 40 CFR 372.65, Subpart D. <http://www.gpo.gov/fdsys/pkg/CFR-2013-title40-vol29/pdf/CFR-2013-title40-vol29-part372.pdf>. September 10, 2014.
- EPA. 2013i. The list of extremely hazardous substances and their threshold planning quantities. Code of Federal Regulations. U.S. Environmental Protection Agency. 40 CFR 355, Appendix A to Part 355. <http://www.gpo.gov/fdsys/pkg/CFR-2013-title40-vol29/pdf/CFR-2013-title40-vol29-part355-appA.pdf>. September 10, 2014.
- EPA. 2014a. The Clean Air Act amendments of 1990 list of hazardous air pollutants. Washington, DC: U.S. Environmental Protection Agency. <http://www.epa.gov/ttn/atw/orig189.html>. September 9, 2014.
- EPA. 2014b. National ambient air quality standards (NAAQS). Washington, DC: U.S. Environmental Protection Agency, Office of Air and Radiation. <http://www.epa.gov/air/criteria.html>. January 08, 2014.
- EPA. 2014c. National recommended water quality criteria. Washington, DC: U.S. Environmental Protection Agency, Office of Water, Office of Science and Technology. <http://water.epa.gov/scitech/swguidance/standards/criteria/current/index.cfm>. January 08, 2014.
- EPA. 2014d. Master testing list. Washington, DC: U.S. Environmental Protection Agency, Office of Pollution Prevention and Toxics. <http://www.epa.gov/opptintr/chemtest/pubs/index1.pdf>. September 10, 2014.
- EPA. 2014e. Peer review plan for OPPT work plan risk assessment of 1-bromopropane ("1-BP"). Assessing and managing chemicals under TSCA. Washington, DC: U.S. Environmental Protection Agency. <https://www.epa.gov/assessing-and-managing-chemicals-under-tsca/peer-review-plan-oppt-work-plan-risk-assessment-1>. July 20, 2017.
- EPA. 2015. Addition of 1-bromopropane; community right-to-know toxic chemical release reporting. Federal Register. U.S. Environmental Protection Agency. Fed Regist 80(225):72906-72914. <https://www.gpo.gov/fdsys/pkg/FR-2015-11-23/pdf/2015-29799.pdf>. January 3, 2016.
- EPA. 2016. 1-Bromopropane (1-BP); availability of TSCA work plan chemical risk assessment for public review and comment. U.S. Environmental Protection Agency. Fed Regist 81(45):12098-12099. <https://www.gpo.gov/fdsys/pkg/FR-2016-03-08/pdf/2016-05176.pdf>. April 27, 2017.
- EPIWIN. 2012. CAS 106-94-5. 1-Bromopropane. Estimation Program Interface (EPI Suite) version 4.11. U.S. Environmental Protection Agency. <http://www.epa.gov/oppt/exposure/pubs/episuitedl.htm>. October 17, 2014.
- FDA. 2013. Bottled water. Code of Federal Regulations. U.S. Food and Drug Administration. 21 CFR 165.110, Subpart B. <http://www.gpo.gov/fdsys/pkg/CFR-2013-title21-vol2/pdf/CFR-2013-title21-vol2-sec165-110.pdf>. October 28, 2014.

9. REFERENCES

- FDA. 2014. Everything added to food in the United States (EAFUS). Washington, DC: U.S. Food and Drug Administration. <http://www.accessdata.fda.gov/scripts/fcn/fcnavigation.cfm?rpt=eafuslisting>. January 08, 2014.
- Fomon SJ. 1966. Body composition of the infant: Part 1: The male reference infant. In: Faulkner F, ed. Human development. Philadelphia, PA: WB Saunders, 239-246.
- Fomon SJ, Haschke F, Ziegler EE, et al. 1982. Body composition of reference children from birth to age 10 years. *Am J Clin Nutr* 35(Suppl 5):1169-1175.
- Frasch HF, Dotson GS, Barbero AM. 2011. *In vitro* human epidermal penetration of 1-bromopropane. *J Toxicol Environ Health A* 74(19):1249-1260.
- Fueta Y, Fukuda T, Ishidao T, et al. 2004. Electrophysiology and immunohistochemistry in the hippocampal CA1 and the dentate gyrus of rats chronically exposed to 1-bromopropane, a substitute for specific chlorofluorocarbons. *Neuroscience* 124(3):593-603.
- Fueta Y, Ishidao T, Arashidani K, et al. 2002. Hyperexcitability of the hippocampal CA1 and the dentate gyrus in rats subchronically exposed to a substitute for chlorofluorocarbons, 1-bromopropane vapor. *J Occup Health* 44(3):156-165.
- Fueta Y, Ishidao T, Ueno S, et al. 2007. New approach to risk assessment of central neurotoxicity induced by 1-bromopropane using animal models. *Neurotoxicology* 28(2):270-273.
- Fueta Y, Kanemitsu M, Egawa S, et al. 2015. Prenatal exposure to 1-bromopropane suppresses kainate-induced wet dog shakes in immature rats. *J UOEH* 37(4):255-261. 10.7888/juoeh.37.255.
- Fujii T. 1992. Quadrupole mass spectrometry in combination with lithium ion attachment for sampling at atmospheric pressure: Possible coupling to supercritical fluid chromatography. *Anal Chem* 64(7):775-778.
- Furuhashi K, Kitoh J, Tsukamura H, et al. 2006. Effects of exposure of rat dams to 1-bromopropane during pregnancy and lactation on growth and sexual maturation of their offspring. *Toxicology* 224(3):219-228.
- Gargas ML, Burgess RJ, Voisard DE, et al. 1989. Partition coefficients of low-molecular-weight volatile chemicals in various liquids and tissues. *Toxicol Appl Pharmacol* 98:87-99.
- Garner CE, Yu X. 2014. Species and sex-dependent toxicokinetics of 1-bromopropane: The role of hepatic cytochrome P450 oxidation and glutathione (GSH). *Xenobiotica* 44(7):644-656.
- Garner CE, Liang S, Yin L, et al. 2015. Physiologically based pharmacokinetic modeling for 1-bromopropane in F344 rats using gas uptake inhalation experiments. *Toxicol Sci* 145(1):23-36. 10.1093/toxsci/kfv018.
- Garner CE, Sloan C, Sumner SC, et al. 2007. CYP2E1-catalyzed oxidation contributes to the sperm toxicity of 1-bromopropane in mice. *Biol Reprod* 76(3):496-505.
- Garner CE, Sumner SC, Davis JG, et al. 2006. Metabolism and disposition of 1-bromopropane in rats and mice following inhalation or intravenous administration. *Toxicol Appl Pharmacol* 215(1):23-36.

9. REFERENCES

- Gilman S. 2002. Joint position sense and vibration sense: Anatomical organisation and assessment. *J Neurol Neurosurg Psychiatry* 73:473-477.
- Giwerzman A, Carlsen E, Keiding N, et al. 1993. Evidence for increasing incidence of abnormalities of the human testis: A review. *Environ Health Perspect* 101(Supp 2):65-71.
- Gschwend PM, MacFarlane JK, Newman KA. 1985. Volatile halogenated organic compounds released to seawater from temperate marine macroalgae. *Science* 227:1033-1035.
- Gummin DD. 2015. Hydrocarbons. In: Hoffman RS, Lewin NA, Goldfrank LR, et al., eds. *Goldfrank's toxicologic emergencies*. 7th ed. New York, NY: McGraw-Hill Education, 1334-1345.
- Guo Y, Yuan H, Jiang L, et al. 2015. Involvement of decreased neuroglobin protein level in cognitive dysfunction induced by 1-bromopropane in rats. *Brain Res* 1600:1-16. 10.1016/j.brainres.2014.12.046.
- Guzelian PS, Henry CJ, Olin SS. 1992. Similarities and differences between children and adults: Implications for risk assessment. Washington, DC: International Life Sciences and Press Institute Press.
- Han EH, Hwang YP, Lee KJ, et al. 2008. 1-Bromopropane induces macrophage activation via extracellular signal-regulated kinase 1/2 MAPK and NF- κ B pathways. *Cancer Lett* 262(1):28-36.
- Han EH, Yang JH, Kim HK, et al. 2012. 1-Bromopropane up-regulates cyclooxygenase-2 expression via NF- κ B and C/EBP activation in murine macrophages. *Food Chem Toxicol* 50(5):1616-1622.
- Hanley KW, Petersen MR, Cheever KL, et al. 2009. N-Acetyl-S-(n-propyl)-l-cysteine in urine from workers exposed to 1-bromopropane in foam cushion spray adhesives. *Ann Occup Hyg* 53(7):759-769.
- Hanley KW, Petersen MR, Cheever KL, et al. 2010. Bromide and N-acetyl-S-(n-propyl)-L-cysteine in urine from workers exposed to 1-bromopropane solvents from vapor degreasing or adhesive manufacturing. *Int Arch Occup Environ Health* 83(5):571-584.
- Hanley KW, Petersen M, Curwin BD, et al. 2006. Urinary bromide and breathing zone concentrations of 1-bromopropane from workers exposed to flexible foam spray adhesives. *Ann Occup Hyg* 50(6):599-607.
- Hasspieler B, Haffner D, Stelljes M, et al. 2006. Toxicological assessment of industrial solvents using human cell bioassays: Assessment of short-term cytotoxicity and long-term genotoxicity potential. *Toxicol Ind Health* 22(7):301-315.
- Hoel DG, Davis DL, Miller AB, et al. 1992. Trends in cancer mortality in 15 industrialized countries, 1969-1986. *J Natl Cancer Inst* 84(5):313-320.
- Honma T, Suda M, Miyagawa M. 2003. Inhalation of 1-bromopropane causes excitation in the central nervous system of male F344 rats. *Neurotoxicology* 24(4-5):563-575.
- HSDB. 2013. 1-Bromopropane. Hazardous Substances Data Bank. National Library of Medicine. <http://toxnet.nlm.nih.gov>. October 23, 2014.
- Huang Z, Ichihara S, Oikawa S, et al. 2015. Hippocampal phosphoproteomics of F344 rats exposed to 1-bromopropane. *Toxicol Appl Pharmacol* 282(2):151-160. 10.1016/j.taap.2014.10.016.

9. REFERENCES

- Huang Z, Ichihara S, Oikawa S, et al. 2011. Proteomic analysis of hippocampal proteins of F344 rats exposed to 1-bromopropane. *Toxicol Appl Pharmacol* 257(1):93-101.
- Huang Z, Ichihara S, Oikawa S, et al. 2012. Proteomic identification of carbonylated proteins in F344 rat hippocampus after 1-bromopropane exposure. *Toxicol Appl Pharmacol* 263(1):44-52.
- Huang F, Ichihara S, Yamada Y, et al. 2016. Effect of 4-week inhalation exposure to 1-bromopropane on blood pressure in rats. *J Appl Toxicol* 10.1002/jat.3364.
- IARC. 2014. Agents classified by the IARC monographs. Volumes 1–110. Lyon, France: International Agency for Research on Cancer. <http://monographs.iarc.fr/ENG/Classification/ClassificationsCASOrder.pdf>. September 9, 2014.
- Ichihara G, Kitoh J, Yu X, et al. 2000b. 1-Bromopropane, an alternative to ozone layer depleting solvents, is dose-dependently neurotoxic to rats in long-term inhalation exposure. *Toxicol Sci* 55(1):116-123.
- Ichihara G, Li W, Ding X, et al. 2004a. A survey on exposure level, health status, and biomarkers in workers exposed to 1-bromopropane. *Am J Ind Med* 45(1):63-75.
- Ichihara G, Li W, Shibata E, et al. 2004b. Neurologic abnormalities in workers of a 1-bromopropane factory. *Environ Health Perspect* 112(13):1319-1325.
- Ichihara G, Miller JK, Ziolkowska A, et al. 2002. Neurological disorders in three workers exposed to 1-bromopropane. *J Occup Health* 44(1):1-7.
- Ichihara G, Wang H, Zhang L, et al. 2011. Dose-dependent neurologic abnormalities in workers exposed to 1-bromopropane: Authors' response. *J Occup Environ Med* 53(10):1095-1098.
- Ichihara G, Yu X, Kitoh J, et al. 2000a. Reproductive toxicity of 1-bromopropane, a newly introduced alternative to ozone layer depleting solvents, in male rats. *Toxicol Sci* 54(2):416-423.
- IRIS. 2014. Integrated Risk Information System. Washington, DC: U.S. Environmental Protection Agency. <http://www.epa.gov/iris/>. November 24, 2014.
- Ishidao T, Fueta Y, Ueno S, et al. 2016. A cross-fostering analysis of bromine ion concentration in rats that inhaled 1-bromopropane vapor. *J Occup Health* 58(3):241-246. 10.1539/joh.15-0284-OA.
- Ishidao T, Kunugita N, Fueta Y, et al. 2002. Effects of inhaled 1-bromopropane vapor on rat metabolism. *Toxicol Lett* 134(1-3):237-243.
- Jain RB. 2015a. Distributions of selected urinary metabolites of volatile organic compounds by age, gender, race/ethnicity, and smoking status in a representative sample of U.S. adults. *Environ Toxicol Pharmacol* 40(2):471-479.
- Jain RB. 2015b. Levels of selected urinary metabolites of volatile organic compounds among children aged 6-11 years. *Environ Res* 142:461-470. 10.1016/j.envres.2015.07.023.
- Janssen DB, Jager D, Witholt B. 1987. Degradation of n-haloalkanes and α,ω -dihaloalkanes by wild-type and mutants of *Acinetobacter* sp. strain GJ70. *Appl Environ Microbiol* 53:561-566.

9. REFERENCES

- Jones AR, Walsh DA. 1979. The oxidative metabolism of 1-bromopropane in the rat. *Xenobiotica* 9(12):763-772.
- Kaneko T, Kim HY, Wang PY, et al. 1997. Partition coefficients and hepatic metabolism *in vitro* of 1- and 2-bromopropanes. *J Occup Health* 39(4):341-342.
- Kawai T, Takeuchi A, Miyama Y, et al. 2001. Biological monitoring of occupational exposure to 1-bromopropane by means of urinalysis for 1-bromopropane and bromide ion. *Biomarkers* 6(5):303-312.
- Kearns GL, Abdel-Rahman SM, Alander SW, et al. 2003. Developmental pharmacology: Drug disposition, action, and therapy in infants and children. *N Engl J Med* 349(12):1157-1167.
- Khan S, O'Brien PJ. 1991. 1-Bromoalkanes as new potent nontoxic glutathione depletors in isolated rat hepatocytes. *Biochem Biophys Res Commun* 179(1):436-441.
- Kim HY, Chung YH, Jeong JH, et al. 1999. Acute and repeated inhalation toxicity of 1-bromopropane in SD rats. *J Occup Health* 41(2):121-128.
- Komori M, Nishio K, Kitada M, et al. 1990. Fetus-specific expression of a form of cytochrome P-450 in human livers. *Biochemistry* 29(18):4430-4433.
- Krause RJ, Glocke SC, Elfarra AA. 2002. Sulfoxides as urinary metabolites of S-allyl-L-cysteine in rats: Evidence for the involvement of flavin-containing monooxygenases. *Drug Metab Dispos* 30(10):1137-1142.
- Krishnan K, Andersen ME. 1994. Physiologically based pharmacokinetic modeling in toxicology. In: Hayes AW, ed. *Principles and methods of toxicology*. 3rd ed. New York, NY: Raven Press, Ltd., 149-188.
- Krishnan K, Anderson ME, Clewell HJ, et al. 1994. Physiologically based pharmacokinetic modeling of chemical mixtures. In: Yang RSH, ed. *Toxicology of chemical mixtures. Case studies, mechanisms, and novel approaches*. San Diego, CA: Academic Press, 399-437.
- Lee SK, Jeon TW, Kim YB, et al. 2007. Role of glutathione conjugation in the hepatotoxicity and immunotoxicity induced by 1-bromopropane in female BALB/c mice. *J Appl Toxicol* 27(4):358-367.
- Lee SK, Kang MJ, Jeon TW, et al. 2010. Role of metabolism in 1-bromopropane-induced hepatotoxicity in mice. *J Toxicol Environ Health A* 73(21-22):1431-1440. 10.1080/15287394.2010.511546.
- Leeder JS, Kearns GL. 1997. Pharmacogenetics in pediatrics: Implications for practice. *Pediatr Clin North Am* 44(1):55-77.
- Lehman-McKeeman L. 2013. Absorption, distribution, and excretion of toxicants. In: Klaassen CD, ed. *Casarett & Doull's toxicology. The basic science of poisons*. 8th ed. New York, NY: McGraw Hill Medical, 153-183.
- Leung H. 1993. Physiologically-based pharmacokinetic modelling. In: Ballantyne B, Marrs T, Turner P, eds. *General and applied toxicology*. Vol. 1. New York, NY: Stockton Press, 153-164.
- Levy A. 2010. Preliminary data on VibraTip, a new source of standardised vibration for bedside assessment of peripheral neuropathy. *Br J Diabetes Vasc Dis* 10:284-286. 10.1177/1474651410390741.

9. REFERENCES

- Li W, Shibata E, Zhou Z, et al. 2010. Dose-dependent neurologic abnormalities in workers exposed to 1-bromopropane. *J Occup Environ Med* 52(8):769-777.
- Liu F, Ichihara S, Mohideen SS, et al. 2009. Comparative study on susceptibility to 1-bromopropane in three mice strains. *Toxicol Sci* 112(1):100-110.
- Liu F, Ichihara S, Valentine WM, et al. 2010. Increased susceptibility of Nrf2-null mice to 1-bromopropane-induced hepatotoxicity. *Toxicol Sci* 115(2):596-606.
- Livingston AL. 1978. Forage plant estrogens. *J Toxicol Environ Health* 4(2-3):301-324.
- Lyman WJ, Reehl WF, Rosenblatt DH. 1990. 1-Bromopropane. In: *Handbook of chemical property estimation methods. Environmental behavior of organic compounds*. Washington, DC: American Chemical Society, 4-9; 7-4; 8-9 to 8-29; 15-21 to 15-29.
- Mabey W, Mill T. 1978. Critical review of hydrolysis of organic compounds in water under environmental conditions. *J Phys Chem Ref Data* 7(2):383-415.
- Majersik JJ, Caravati EM, Steffens JD. 2007. Severe neurotoxicity associated with exposure to the solvent 1-bromopropane (n-propyl bromide). *Clin Toxicol* 45(3):270-276.
- Mathias PI, Cheever KL, Hanley KW, et al. 2012. Comparison and evaluation of urinary biomarkers for occupational exposure to spray adhesives containing 1-bromopropane. *Toxicol Mech Methods* 22(7):526-532.
- Mayr U, Butsch A, Schneider S. 1992. Validation of two *in vitro* test systems for estrogenic activities with zearalenone, phytoestrogens and cereal extracts. *Toxicology* 74(2-3):135-149.
- Meylan WM, Howard PH. 1993. Computer estimation of the atmospheric gas-phase reaction rate of organic compounds with hydroxyl radicals and ozone. *Chemosphere* 26(12):2293-2299.
- MMWR. 2008. Neurologic illness associated with occupational exposure to the solvent 1-bromopropane--New Jersey and Pennsylvania, 2007-2008. *MMWR Morb Mortal Wkly Rep* 57(48):1300-1302.
- Mohideen SS, Ichihara S, Banu S, et al. 2009. Changes in neurotransmitter receptor expression levels in rat brain after 4-week exposure to 1-bromopropane. *Neurotoxicology* 30(6):1078-1083.
- Mohideen SS, Ichihara G, Ichihara S, et al. 2011. Exposure to 1-bromopropane causes degeneration of noradrenergic axons in the rat brain. *Toxicology* 285(1-2):67-71.
- Mohideen SS, Ichihara S, Subramanian K, et al. 2013. Effects of exposure to 1-bromopropane on astrocytes and oligodendrocytes in rat brain. *J Occup Health* 55(1):29-38.
- Morgan DL, Nyska A, Harbo SJ, et al. 2011. Multisite carcinogenicity and respiratory toxicity of inhaled 1-bromopropane in rats and mice. *Toxicol Pathol* 39(6):938-948.
- Morselli PL, Franco-Morselli R, Bossi L. 1980. Clinical pharmacokinetics in newborns and infants: Age-related differences and therapeutic implications. *Clin Pharmacokinet* 5(6):485-527.

9. REFERENCES

- NAS/NRC. 1989. Report of the oversight committee. Biologic markers in reproductive toxicology. Washington, DC: National Academy of Sciences, National Research Council, National Academy Press, 15-35.
- NIOSH. 2001. Health Hazard Evaluation Report: HETA 2000-0233-2845, Trilithic, Inc. Indianapolis, Indiana. National Institute for Occupational Safety and Health, Centers for Disease Control and Prevention.
- NIOSH. 2002. NIOSH health hazard evaluation report: HETA No. 98-0153-2883, Custom Products, Inc., Mooresville, NC. National Institute for Occupational Safety and Health, Centers for Disease Control and Prevention.
- NIOSH. 2003a. NIOSH health hazard evaluation report: HETA No. 99-0260-2906, Marx Industries, Inc., Sawmills, North Carolina. National Institute for Occupational Safety and Health, Centers for Disease Control and Prevention, 68.
- NIOSH. 2003b. NIOSH manual of analytical methods. Method 1025. 1- and 2-Bromopropane. 4th edition. National Institute of Occupational Safety and Health.
- NIOSH. 2010. Health Hazard Evaluation Report: HETA-2008-0175-3111, New Jersey Department of Health and Senior Services, July 2010. Evaluation of 1-bromopropane use in four New Jersey commercial dry cleaning facilities. National Institute for Occupational Safety and Health, Centers for Disease Control and Prevention.
- NIOSH. 2014. NIOSH pocket guide to chemical hazards. Atlanta, GA: National Institute for Occupational Safety and Health, Centers for Disease Control and Prevention. <http://www.cdc.gov/niosh/npg/npgdcas.html>. September 9, 2014.
- NITE. 2010. 1-Bromopropane. J-Check (Japan CHEMicals Collaborative Knowledge Database). National Institute of Technology and Evaluation. http://www.safe.nite.go.jp/jcheck/template.action?ano=2854&mno=2-0073&cno=106-94-5&request_locale=en. October 17, 2014.
- Nizar H, Munro N, Nightingale P, et al. 2014. Diagnostic accuracy of the VibraTip in detection of diabetic peripheral neuropathy. *Br J Diabetes Vasc Dis* 14:26-29. 10.15277/bjdvd.2014.005.
- NRC. 1993. Pesticides in the diets of infants and children. Washington, DC: National Research Council. National Academy Press.
- NTP. 2003. NTP-CERHR monograph on the potential human reproductive and developmental effects of 1-Bromopropane (1-BP). National Toxicology Program. Center for the Evaluation of Risks to Human Reproduction.
- NTP. 2011. NTP technical report on the toxicology and carcinogenesis studies of 1-bromopropane (CAS No. 106-94-5) in F344/N rats and B6C3F1 mice (inhalation studies). National Toxicology Program, Technical report series TR-564.
- NTP. 2013. Report on carcinogens. Monograph on 1-bromopropane. National Toxicology Program, U.S. Department of Health and Human Services. http://ntp.niehs.nih.gov/ntp/roc/thirteenth/monographs_final/1bromopropane_508.pdf. November 4, 2014.

9. REFERENCES

- NTP. 2016. 1-Bromopropane. 14th report on carcinogens. Research Triangle Park, NC: U.S. Department of Health and Human Services, Public Health Service, National Toxicology Program. <https://ntp.niehs.nih.gov/ntp/roc/content/profiles/bromopropane.pdf>. April 27, 2017.
- NTP-CERHR. 2004. NTP-CERHR Expert Panel report on the reproductive and developmental toxicity of 1-bromopropane. *Reprod Toxicol* 18(2):157-187.
- OSHA. 1999. Method number PV2061. 1-Bromopropane. Sampling and analytical methods. Occupational Safety and Health Administration. <https://www.osha.gov/dts/sltc/methods/partial/pv2061.html>. October 20, 2014.
- OSHA. 2013a. Air contaminants. Table Z-1-limits for air contaminants. Code of Federal Regulations. Occupational Safety And Health Standards. 29 CFR 1910.1000, Subpart Z. <http://www.gpo.gov/fdsys/pkg/CFR-2013-title29-vol6/pdf/CFR-2013-title29-vol6-sec1910-1000.pdf>. September 9, 2014.
- OSHA. 2013b. Process safety management of highly hazardous chemicals. Appendix A to 1910.119-List of highly hazardous chemicals, toxics and reactives (mandatory). Code of Federal Regulations. Occupational Safety And Health Standards. 29 CFR 1910.119, Subpart H. <http://www.gpo.gov/fdsys/pkg/CFR-2013-title29-vol5/pdf/CFR-2013-title29-vol5-sec1910-119.pdf>. September 9, 2014.
- OSHA. 2014. OSHA/NIOSH Hazard Alert: 1-Bromopropane. Occupational safety and health standards. DHHS (NIOSH) Publication 2013-150 OSHA - HA-3676-2013. https://www.osha.gov/dts/hazardalerts/1bromopropane_hazard_alert.html. April 27, 2017.
- Owen GM, Brozek J. 1966. Influence of age, sex and nutrition on body composition during childhood and adolescence. In: Falkner F, ed. *Human development*. Philadelphia, PA: WB Saunders, 222-238.
- Pestronk A, Florence J, Levine T, et al. 2004. Sensory exam with a quantitative tuning fork: Rapid, sensitive and predictive of SNAP amplitude. *Neurology* 62(3):461-464.
- Raymond LW, Ford MD. 2007. Severe illness in furniture makers using a new glue: 1-Bromopropane toxicity confounded by arsenic. *J Occup Environ Med* 49(9):1009-1019.
- RePORTER. 2014. 1-Bromopropane. NTP database summarization and evaluation. National Institutes of Health, Research Portfolio Online Reporting Tools. <http://projectreporter.nih.gov/reporter.cfm>. October 27, 2014.
- RTECS. 2009. Propane, 1-bromo. Registry of Toxic Effects on Chemical Substances. National Institute for Occupational Safety and Health. MDL Information Systems, Inc. October 15, 2014.
- Saito-Suzuki R, Teramoto S, Shirasu Y. 1982. Dominant-lethal studies in rats with 1,2-dibromo-3-chloropropane and its structurally related compounds. *Mutat Res* 101(4):321-327.
- Samukawa M, Ichihara G, Oka N, et al. 2012. A case of severe neurotoxicity associated with exposure to 1-bromopropane, an alternative to ozone-depleting or global-warming solvents. *Arch Intern Med* 172(16):1257-1260.

9. REFERENCES

Saunders NR, Ek CJ, Habgood MD, et al. 2008. Barriers in the brain: A renaissance? *Trends Neurosci* 31(6):279-286.

Saunders NR, Liddelow SA, Dziegielewska KM. 2012. Barrier mechanisms in the developing brain. *Front Pharmacol* 3(10.3389/fphar.2012.00046):Article 46.

Scheuplein R, Charnley G, Dourson M. 2002. Differential sensitivity of children and adults to chemical toxicity. I. Biological basis. *Regul Toxicol Pharmacol* 35(3):429-447.

Scholtz R, Schmuckle A, Cook AM, et al. 1987. Degradation of eighteen 1-monohaloalkanes by *Arthrobacter* sp. strain HA1. *J Gen Microbiol* 133:267-274.

Schwarzenbach RP, Giger W, Schaffner C, et al. 1985. Groundwater contamination by volatile halogenated alkanes abiotic formation of volatile sulfur compounds under anaerobic conditions. *Environ Sci Technol* 19(4):322-327.

Sclar G. 1999. Encephalomyeloradiculoneuropathy following exposure to an industrial solvent. *Clin Neurol Neurosurg* 101(3):199-202.

Sekiguchi S, Suda M, Zhai YL, et al. 2002. Effects of 1-bromopropane, 2-bromopropane, and 1,2-dichloropropane on the estrous cycle and ovulation in F344 rats. *Toxicol Lett* 126(1):41-49.

Shochat E, Hermoni I, Cohen Z, et al. 1993. Bromoalkane-degrading *Pseudomonas* strains. *Appl Environ Microbiol* 59(5):1403-1409.

Smith CJ, Johnson GT, Harbison RD, et al. 2011. Dose-dependent neurologic abnormalities in workers exposed to 1-bromopropane. *J Occup Environ Med* 53(7):707-708.

Sohn YK, Suh JS, Kim JW, et al. 2002. A histopathologic study of the nervous system after inhalation exposure of 1-bromopropane in rat. *Toxicol Lett* 131(3):195-201.

Subramanian K, Mohideen SS, Suzumura A, et al. 2012. Exposure to 1-bromopropane induces microglial changes and oxidative stress in the rat cerebellum. *Toxicology* 302(1):18-24.

Suda M, Honma T, Miyagawa M, et al. 2008. Alteration of brain levels of neurotransmitters and amino acids in male F344 rats induced by three-week repeated inhalation exposure to 1-bromopropane. *Ind Health* 46(4):348-359.

Swann RL, Laskowski DA, McCall PJ, et al. 1983. A rapid method for the estimation of environmental parameters octanol/water partition coefficient, soil sorption constant, water to air ratio, and water solubility. *Residue Rev* 85:17-28.

Tachizawa H, Macdonald TL, Neal RA. 1982. Rat liver microsomal metabolism of propyl halides. *Mol Pharmacol* 22(3):745-751.

Thapa P, Kim EK, Nepal MR, et al. 2016. Identification of a N-7-guanine adduct of 1-bromopropane in calf thymus DNA by mass spectrometry. *Mol Cell Toxicol* 12(1):7-14.

Thomas K, Colborn T. 1992. Organochlorine endocrine disruptors in human tissue. In: Colborn T, Clement C, eds. *Chemically induced alterations in sexual and functional development: The wildlife/human connection*. Princeton, NJ: Princeton Scientific Publishing, 365-394.

9. REFERENCES

- Thompson TM. 2014. Chapter 126: Hydrocarbons. In: Schafermeyer R, Tenenbein M, Macias CG, eds. *Strange and Schafermeyer's pediatric emergency medicine*. New York, NY: McGraw-Hill. <http://accessemergencymedicine.mhmedical.com/content.aspx?bookid=1345§ionid=72128140>. April 13, 2017.
- Toraason M, Lynch DW, DeBord DG, et al. 2006. DNA damage in leukocytes of workers occupationally exposed to 1-bromopropane. *Mutat Res* 603(1):1-14.
- Ueno S, Yoshida Y, Fueta Y, et al. 2007. Changes in the function of the inhibitory neurotransmitter system in the rat brain following subchronic inhalation exposure to 1-bromopropane. *Neurotoxicology* 28(2):415-420.
- UNEP. 2001. Montreal protocol on substances that deplete the ozone layer. UNEP report on the geographical market potential and estimated emissions of n-propyl bromide. United Nations Environment Programme.
- USAPHC. 2014. Information regarding 1-bromopropane and the adopted notice of intended change (threshold limit value decrease from 10 ppm to 0.1 ppm). Technical information paper no. 55-022-1014. U.S. Army Public Health Command. https://phc.amedd.army.mil/PHC%20Resource%20Library/BP_and_the_Adopted_TLV_Decrease.pdf. April 27, 2017.
- Valentine H, Amarnath K, Amarnath V, et al. 2007. Globin s-propyl cysteine and urinary N-acetyl-S-propylcysteine as internal biomarkers of 1-bromopropane exposure. *Toxicol Sci* 98(2):427-435.
- Vieira I, Sonnier M, Cresteil T. 1996. Developmental expression of CYP2E1 in the human liver: Hypermethylation control of gene expression during the neonatal period. *Eur J Biochem* 238(2):476-483.
- Wang H, Ichihara G, Ito H, et al. 2002. Biochemical changes in the central nervous system of rats exposed to 1-bromopropane for seven days. *Toxicol Sci* 67(1):114-120.
- Wang H, Ichihara G, Ito H, et al. 2003. Dose-dependent biochemical changes in rat central nervous system after 12-week exposure to 1-bromopropane. *Neurotoxicology* 24(2):199-206.
- Wang QH, Zhong ZX, Chen JJ, et al. 2012. [1-Bromopropane peripheral nervous system toxicity]. *Zhonghua Lao Dong Wei Sheng Zhi Ye Bing Za Zhi* 30(10):751-755. (Chinese).
- Wang TH, Wu ML, Wu YH, et al. 2015. Neurotoxicity associated with exposure to 1-bromopropane in golf-club cleansing workers. *Clin Toxicol (Phila)* 53(8):823-826. 10.3109/15563650.2015.1064939.
- West JR, Smith HW, Chasis H. 1948. Glomerular filtration rate, effective renal blood flow, and maximal tubular excretory capacity in infancy. *J Pediatr* 32:10-18.
- WHO. 2010. Guidelines for indoor air quality: Selected pollutants. Geneva, Switzerland: World Health Organization. http://www.euro.who.int/__data/assets/pdf_file/0009/128169/e94535.pdf. September 9, 2014.
- WHO. 2011. In: Guidelines for drinking-water quality. 4th ed. Geneva, Switzerland: World Health Organization. http://whqlibdoc.who.int/publications/2011/9789241548151_eng.pdf?ua=1. September 9, 2014.

9. REFERENCES

- Widdowson EM, Dickerson JWT. 1964. Chemical composition of the body. In: Comar CL, Bronner F, eds. Mineral metabolism: An advance treatise. Volume II: The elements Part A. New York, NY: Academic Press, 1-247.
- Willits I, Cole H, Jones R, et al. 2015. VibraTip™ for testing vibration perception to detect diabetic peripheral neuropathy: A NICE medical technology guidance. *Appl Health Econ Health Policy* 13:315-324.
- Wuebbles DJ, Jain AK, Patten KO, et al. 1998. Evaluation of ozone depletion potentials for chlorobromomethane (CH₂ClBr) and 1-bromo-propane (CH₂BrCH₂CH₃). *Atmos Environ* 32(2):107-113.
- Xu Y, Wang S, Jiang L, et al. 2016. Identify melatonin as a novel therapeutic reagent in the treatment of 1-bromopropane (1-BP) intoxication. *Medicine* 95(3):e2203. 10.1097/md.0000000000002203.
- Yamada T, Ichihara G, Wang H, et al. 2003. Exposure to 1-bromopropane causes ovarian dysfunction in rats. *Toxicol Sci* 71(1):96-103.
- Yoshida Y, Nakano Y, Ueno S, et al. 2009. Effects of 1-bromopropane, a substitute for chlorofluorocarbons, on BDNF expression. *Int Immunopharmacol* 9(4):433-438.
- Yu X, Ichihara G, Kitoh J, et al. 1998. Preliminary report on the neurotoxicity of 1-bromopropane, an alternative solvent for chlorofluorocarbons. *J Occup Health* 40:234-235.
- Yu X, Ichihara G, Kitoh J, et al. 2001. Neurotoxicity of 2-bromopropane and 1-bromopropane, alternative solvents for chlorofluorocarbons. *Environ Res* 85(1):48-52.
- Yu WJ, Kim JC, Chung MK. 2008. Lack of dominant lethality in mice following 1-bromopropane treatment. *Mutat Res* 652(1):81-87.
- Zhang L, Nagai T, Yamada K, et al. 2013. Effects of sub-acute and sub-chronic inhalation of 1-bromopropane on neurogenesis in adult rats. *Toxicology* 304:76-82.
- Zhong Z, Zeng T, Xie K, et al. 2013. Elevation of 4-hydroxynonenal and malondialdehyde modified protein levels in cerebral cortex with cognitive dysfunction in rats exposed to 1-bromopropane. *Toxicology* 306:16-23.
- Ziegler EE, Edwards BB, Jensen RL, et al. 1978. Absorption and retention of lead by infants. *Pediatr Res* 12(1):29-34.
- Zong C, Garner CE, Huang C, et al. 2016. Preliminary characterization of a murine model for 1-bromopropane neurotoxicity: Role of cytochrome P450. *Toxicol Lett* 258:249-258. 10.1016/j.toxlet.2016.07.006.